

नार्थ ईस्टर्न कोलफील्ड्स  
 कोला इंडिया लिमिटेड  
 (महाराष्ट्र शासकीय)  
 महाराष्ट्र शासकीय कोलाफील्ड्स  
 मार्गहेरिटा-786181 (अहमदाबाद)  
 फोन - (03751)220283  
 टेलीफोन - 03751-220329/220339  
 फेक्स - 03751-220354  
 ई-मेल - gm.nec@coalindia.in



NORTH EASTERN COALFIELDS  
 (A Maharatna PSU under MoC)  
 Office of the General Manager  
 Margherita-786181 (ASSAM)  
 Phone - 03751 -220283  
 EPABX - 03751 - 220329 / 220339  
 Fax- (03751) - 220354  
 E-mail : gm.nec@coalindia.in

Corporate Identity No.L23109WB197350102864

Ref.No./NEC/31612088/101/03

Dt.12-4-17

To

**FORMAL ORDER**

M/s. Rajesh Hardware Stores, Manav Kalyan Road, Tinsukia - 786 125	Fax No.0374-2332633 PCC: By Regd. Post Vendor Code: N/S No.NEC/CMS/343/Med dt. 16-7-16
PH: 2339293-2333132	B.C.No.05/P-190/Budget/16-17 dt. 20-9-16 for Rs.144600/- A/c. Capital /Welfare)
e-mail: rajesh@rediffmail.com	FC No.01/P.195/Budget for Rs.55298/- dt. 8-4-17 of 2017-18 . A/c. Capital.

Sub: Our tender no.NEC/31612088/101/MRG dt. 31-1-17

Ref: Your quotation no.51/1659 dt. 27-2-17 and subsequent correspondences.

Dear Sirs

With reference to the above, please be informed that your above offer for supply of the following material(s) is accepted, and we hereby place formal supply order on you for supply of the materials. The supply shall be governed by the specification, prices, terms & conditions mentioned hereunder and also unless otherwise specified as per General Terms & Conditions enclosed with the NIT.

**SCOPE OF SUPPLY:-**

Sl. No.	Description of Items:	Unit	Qty.	Unit Rate (Rs.)	Extn.Amount (Rs.)
1	USHA make (ISI) Water Cooler 150 ltrs. capacity (With Cooling facility) S. S. Body, Model: SS150150 as per technical pamphlet enclosed.	Set	01	48085.00	48085.00

**Commercial TERM & CONDITIONS:-**

- PRICE BASE:** Prices are on FOR : Margherita. The prices shall remain firm till completion of supplies.
- PACKING & FORWARDING CHARGES:** Inclusive.
- FREIGHT CHARGES:** Inclusive. Safe arrival of materials is the responsibility of the supplier.
- SALES TAX/VAT:** VAT @15% extra
- DELIVERY:** Within 30 days or earlier of receipt of order.
- Guarantee /Warranty:** 12 months against any mfg. defects.
- Consignee:** Depot Officer, Central Stores, NEC, Margherita.
- Security Deposit :** Not applicable since the order value is less than Rs.1.0 lakh.
- Submission of bill:** Please send your bill to Sr. Manager (MM), NEC, Margherita

All other terms & condition will be as per NIT.

PTO.

*Prof*  
12/9/17



# TECHNİK

Partitions	Unit		SS20406 (N/C)		SS4080		SS80120/SS80120G		SS80120/SS80120G		SS20406 (N/C)		SS20406 (N/C)	
	SS20406 (N/C)	SS20406	SS4080	SS4080	SS80120/SS80120G	SS80120/SS80120G	SS80120/SS80120G	SS80120/SS80120G	SS20406 (N/C)	SS20406 (N/C)	SS20406 (N/C)	SS20406 (N/C)	SS20406 (N/C)	SS20406 (N/C)
Cooling Capacity														
At Rated Conditions	20	40	60	60	80	80	150	200	200	200	200	200	200	20
At 10°C temperature drop	35	65	100	100	130	130	245	330	330	330	330	330	330	35
Gases/hr at rated condition	100	200	300	300	400	400	750	1000	1000	1000	1000	1000	1000	100
Storage Capacity	40	80	120	120	120	120	150	400	400	400	400	400	400	40
Power Supply														
Rated Current	2	2.5	3.6	3.6	4.8	4.8	7.5	9	9	9	9	9	9	2
Power Input	300	450	775	775	1050	1050	1550	2000	2000	2000	2000	2000	2000	393
Material														
a) Cooler Tank	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
b) Panels	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Top lid														
Front Panel Top														
	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Front Panel Bottom														
	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Side Panel/Rear Panel														
	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Mask	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS
d) Drip Tray	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
e) Bubble Top/Attachment	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Faucets	Brass (C plated)	Brass (C plated)	Brass (C plated)	Brass (C plated)	Brass (C plated)	Brass (C plated)	Brass (C plated)	Brass (C plated)	Brass (C plated)	Brass (C plated)	Brass (C plated)	Brass (C plated)	Brass (C plated)	Brass (C plated)
No. of faucets - Cold Water	1	2	2	2	2	2	2	2	2	2	2	2	2	1
No. of faucets - Normal Water	1/0	—	—	—	0/1	0/1	—	—	—	—	—	—	—	—
Condenser Tubing	Grooved copper	Grooved copper	Grooved copper	Grooved copper	Grooved copper	Grooved copper	Grooved copper	Grooved copper	Grooved copper	Grooved copper	Grooved copper	Grooved copper	Grooved copper	Grooved copper
Legs	Nylon	PP (B120MA)	PP (B120MA)	PP (B120MA)	PP (B120MA)	PP (B120MA)	PP (B120MA)	PP (B120MA)	PP (B120MA)	PP (B120MA)	PP (B120MA)	PP (B120MA)	PP (B120MA)	Nylon
Water inlet hose pipe	Provided	Provided	Provided	Provided	Provided	Provided	Provided	Provided	Provided	Provided	Provided	Provided	Provided	Provided
Over flow pipe	Provided	Provided	Provided	Provided	Provided	Provided	Provided	Provided	Provided	Provided	Provided	Provided	Provided	Provided
Compressor	Hermetically sealed/Hermetically sealed	Hermetically sealed/Hermetically sealed	Hermetically sealed/Hermetically sealed	Hermetically sealed/Hermetically sealed	Hermetically sealed/Hermetically sealed	Hermetically sealed/Hermetically sealed	Hermetically sealed/Hermetically sealed	Hermetically sealed/Hermetically sealed	Hermetically sealed/Hermetically sealed	Hermetically sealed/Hermetically sealed	Hermetically sealed/Hermetically sealed	Hermetically sealed/Hermetically sealed	Hermetically sealed/Hermetically sealed	Hermetically sealed
Refrigerant	Reciprocating	Reciprocating	Reciprocating	Reciprocating	Reciprocating	Reciprocating	Reciprocating	Reciprocating	Reciprocating	Reciprocating	Reciprocating	Reciprocating	Reciprocating	Reciprocating
Net Weight	R-134A	R-134A	R-22	R-22/P-134A	R-22	R-22	R-22	R-22	R-22	R-22	R-22	R-22	R-22	R-134A
(kg)	31	62	45	49	52	52	70	125	125	125	125	125	125	31
(Inch Dimensions) (WxDxH)	400 x 400 x 1100	400 x 400 x 1100	500 x 400 x 1200	500 x 400 x 1200	605 x 465 x 1200	605 x 465 x 1200	605 x 465 x 1335	1000 x 715 x 1440	1000 x 715 x 1440	1000 x 715 x 1440	1000 x 715 x 1440	1000 x 715 x 1440	1000 x 715 x 1440	400 x 400 x 1200